

1. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) (2011). Scientific Opinion on the substantiation of health claims related to caffeine and increase in physical performance during short-term high-intensity exercise (ID 737, 1486, 1489), increase in endurance performance (ID 737, 1486), increase in endurance capacity (ID 1488) and reduction in the rated perceived exertion/effort during exercise (ID 1488, 1490) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. EFSA Journal;9(4):2053. La adresa: www.efsa.europa.eu/en/efsajournal/pub/2053.htm , accesat mai, 2015
2. EFSA. Scientific Opinion on the substantiation of health claims related to caffeine and increased alertness (ID 736, 1101, 1187, 1485, 1491, 2063, 2103), and increased attention (ID 736, 1485, 1491, 2375) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. EFSA Journal;9(4):2054, 2011. La adresa: www.efsa.europa.eu/en/efsajournal/pub/2054.htm, accesat mai, 2015
3. Ruxton CHS, in Wiley Online Library, Nutrition Bulletin, Volume 33, Issue 1, pages 15–25, March 2008, The impact of caffeine on mood, cognitive function, performance and hydration: a review of benefits and risks, la adresa: <http://onlinelibrary.wiley.com/doi/10.1111/j.1467-3010.2007.00665.x/full> , accesat mai, 2015
4. Acheson KJ, Gremaud G, Meirim I et al, in: The American Journal of Clinical Nutrition, Metabolic effects of caffeine in humans: lipid oxidation or futile cycling?, la adresa: <http://ajcn.nutrition.org/content/79/1/40.full.pdf+html>, accesat mai, 2015
5. Tae WK, Young OS, Jeong BL et al, in Springer Link, Food Science and Biotechnology, August 2010, vol 19, pp 1077-1081, Effect of caffeine on the metabolic responses of lipolysis and activated sweat gland density in human during physical activity, la adresa: <http://link.springer.com/article/10.1007%2Fs10068-010-0151-6>, accesat mai, 2015
6. Westerterp-Plantenga MS1, Lejeune MP, Kovacs EM. In PubMed, Body weight loss and weight maintenance in relation to habitual caffeine intake and green tea supplementation. *Obes Res.* 2005 Jul;13(7):1195-204, La adresa: <http://www.ncbi.nlm.nih.gov/pubmed/16076989>, accesat mai, 2015
7. The Vaults of Erowid, Caffeine Content of Beverages, Foods, & Medications, la adresa: https://www.erowid.org/chemicals/caffeine/caffeine_info1.shtml#2, accesat mai, 2015
8. Hoelzl C. et al. (2010) Instant coffee with high chlorogenic acid levels protects humans against oxidative damage of macromolecules. *Mol Nutr Food Research*, 54(12):1722-33.
9. Urgert R. & Katan M.B. (1996) The cholesterol-raising factor from coffee beans. *J R Med*, 89(11): 618-623.
10. Butt M.S. & Sultan M.T. (2011) Coffee and its consumption: benefits and risks. *Crit Rev Food Sci Nutr*, 51:363-373
11. Moro S. et al. (2012) Furan in heat-treated foods: formation, exposure, toxicity, and aspects of risk assessment. *Mol Nutr Food Res*, 56(8):1197-211.
12. Joint FAO/WHO (2011) Food Standards Programme Codex Committee on Contaminants in Food, Discussion Paper on Furan, CX/CF 11/5/13.

13. EFSA (2011) Update on furan levels in food from monitoring years 2004-2010 and exposure assessment. EFSA Journal, 9(9):2347.
14. S. van Dieren, C. S. P. M. Uiterwaal, Y. T. van der Schouw et al, in Springer Link, Diabetologia, December 2009. Vol 52, issue 12, Coffee and tea consumption and risk of type 2 diabetes, la adresa: <http://link.springer.com/article/10.1007%2Fs00125-009-1516-3>, accesat mai, 2015
15. Eskelinen, Marjo H., Kivipelto, Miia, Journal of Alzheimer's Disease, vol. 20, no. S1, 2010 IOS Press, Caffeine as a Protective Factor in Dementia and Alzheimer's Disease, DOI: 10.3233/JAD-2010-1404, la adresa: <http://content.iospress.com/articles/journal-of-alzheimers-disease/jad01404>, accesat mai, 2015
16. Prediger, Rui D.S., Journal: Journal of Alzheimer's Disease, vol. 20, no. S1, 2010, Effects of Caffeine in Parkinson's Disease: From Neuroprotection to the Management of Motor and Non-Motor Symptoms, DOI: 10.3233/JAD-2010-091459, la adresa: <http://content.iospress.com/articles/journal-of-alzheimers-disease/jad091459>, accesat mai, 2015
17. Klatsky AL1, Morton C, Udaltsova N et al, in PubMed, Coffee, cirrhosis, and transaminase enzymes, Arch Intern Med. 2006 Jun 12;166(11):1190-5, la adresa: <http://www.ncbi.nlm.nih.gov/pubmed/16772246>, accesat mai, 2015
18. Chiro Kawachi, MD; Walter C. Willett, MD et al, in JAMA Internal Medicine, A Prospective Study of Coffee Drinking and Suicide in Women, March 11, 1996, Vol 156, No. 5, la adresa: <http://archinte.jamanetwork.com/article.aspx?articleid=621677>, accesat mai, 2015
19. Jiang-nan Wu, Suzanne C Ho, Chun Zhou at al, in International Journal of Cardiology, Coffee consumption and risk of coronary heart diseases: A meta-analysis of 21 prospective cohort studies, DOI: <http://dx.doi.org/10.1016/j.ijcard.2008.06.051>
20. Kolasa KM et al (2009). Hydration and health promotion. Nutrition Today 44, 190-203.
21. EFSA, Parma Italy, Statement on recent scientific information on the toxicity of Ochratoxin A1
22. EFSA Panel on Contaminants in the Food Chain, EFSA Journal 2010; 8(6):1626, la adresa: <http://www.efsa.europa.eu/en/efsajournal/doc/1626.pdf>, accesat mai, 2015
23. TA Morck, SR Lynch and JD Cook, Inhibition of food iron absorption by coffee, Am J Clin Nutr March 1983 vol. 37 no. 3 416-420.
24. Grubben M J et al. (2000), Unfiltered coffee increases plasma homocysteine concentrations in healthy volunteers: a randomized trial. American Journal of Clinical Nutrition, 71; 448-484.
25. Geleijnse J.M. (2008), Habitual coffee consumption and blood pressure: An epidemiological perspective. Vasc Health Risk Man. 4(5), 963-970.
26. Silva A.M. et al. (2013) Total body water and its compartments are not affected by ingesting a moderate dose of caffeine in healthy young adult males, Applied Physiology Nutrition & Metabolism, 38; 626-632.

27. Nehlig A et al (2000). Dose-response study of caffeine effects on cerebral functional activity with a specific focus on dependence. *Brain Res*; 858:71-77